



Client: Reta One Labs

Certified: 10/06/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

|           |          |             |                    |
|-----------|----------|-------------|--------------------|
| Product   | KPV      | Form        | Lyophilized Powder |
| Batch     | KV101026 | Labeled Qty | 10 mg              |
| Cap Color | White    | Crimp Color | Silver             |

TEST RESULTS


|                               | REFERENCE STANDARD | RESULT    |
|-------------------------------|--------------------|-----------|
| Purity                        | (>98%)             | 99.464%   |
| Net Content                   | (~10mg)            | 10.86 mg  |
| Identity Confirmation (LC-MS) | (KPV)              | KPV       |
| Endotoxin Safety Screen       | (≤0.5 EU/mL)       | PASS      |
| Rapid Sterility Screening     | (No Growth)        | No Growth |

HEAVY METAL SCREENING

| Analyte      | Result   | Status |
|--------------|----------|--------|
| Arsenic (As) | Negative |        |
| Cadmium (Cd) | Negative |        |
| Lead (Pb)    | Negative |        |
| Mercury (Hg) | Negative |        |

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm



*Lemar Arghandinal*  
Lab Director



koveralabs.com/verify

Report#: KVR-2026-EC1CB4  
Access Code: 2B0KTCC